QTE TECHNOLOGIES

0 | USD

Search products, manufacturers and suppliers...

TYPES OF VACUUM PUMPS AND THEIR USES

07/20/25 11:17:00 AM



Introduction

A vacuum pump is a device that removes gas molecules from a sealed chamber to create and maintain pressures below atmospheric level. Its performance is characterized by three key parameters: ultimate pressure (the lowest pressure it can achieve), pumping speed (volume flow rate, typically in L/s or m^3/h), and exhaust/backing pressure (the pressure at the pump outlet).

Achieving and sustaining a desired vacuum often requires selecting one or more pump types in series, each optimized for a particular pressure regime. In industrial and research settings, systems may span pressures from around 1 Torr down to 10^{-9} Torr or lower, demanding a combination of technologies to handle the full range efficiently.

1. Positive Displacement Pumps

Positive displacement pumps confine a fixed volume of gas, then compress and expel it at higher pressure. They excel in the “rough” (low vacuum) and “medium” vacuum ranges, typically down to ~10^{-3} Torr.

- Rotary Vane Pumps • Operation: A rotor with sliding vanes sweeps gas from inlet to outlet chambers. • Variants: Oil-sealed (lubrication and sealing by oil film) and dry (special coatings) models. • Uses: Laboratory backing pumps, freeze dryers, HVAC service.
- Piston (Reciprocating) Pumps • Operation: One or more pistons move in cylinders with inlet/outlet valves to draw in and compress gas. • Stages: Single-stage for moderate vacuum; multi-stage for deeper vacuum. • Uses: High-pressure gas transfer, analytical instrumentation backing.
- Diaphragm Pumps • Operation: A flexible membrane oscillates to expand and contract the pumping chamber. • Advantage: Oil-free, chemically resistant, contamination-free operation. • Uses: Corrosive gas handling, semiconductor tool backing.
- Screw Pumps • Operation: Two intermeshing screws convey gas axially and compress it continuously. • Variants: Oil-lubricated and dry screw designs. • Uses: Chemical processing, food packaging lines requiring oil-free vacuum.
- Scroll Pumps • Operation: One fixed and one orbiting spiral scroll compress gas in successive crescent chambers. • Advantage: Oil-free, low vibration, compact footprint. • Uses: Mass spectrometry, leak detectors, research labs.
- Roots (Lobe) Blowers • Operation: Two counter-rotating lobes transport gas without internal compression; downstream pump provides compression. • Role: Typically used as a booster or backing stage to increase system throughput. • Uses: Turbo pump backing, large-scale industrial vacuum systems.

2. Momentum Transfer (Kinetic) Pumps

Kinetic pumps impart momentum from rapidly moving parts or high-velocity vapor jets to gas molecules, driving them from the inlet to the outlet. They are essential for achieving high and ultrahigh vacuums.

- Turbomolecular Pumps • Operation: High-speed rotor blades collide with gas molecules, directing them toward the exhaust. • Vacuum Range: ~10^{-7} to 10^{-10} Torr. • Uses: Semiconductor manufacture, electron microscopy, surface science.
- Diffusion Pumps • Operation: A jet of vaporized oil (or silicone) entrains gas molecules and carries them downward to the backing pump. • Characteristics: No moving parts, requires a foreline pump (e.g., rotary vane) for backing. • Uses: Vacuum coating (PVD), vacuum furnaces, analytical instruments.
- Centrifugal & Regenerative Pumps • Operation: Rotating impellers or channels impart kinetic energy to gas or liquid, moving it through the pump. • Uses: Specialized chemical processing, food and pharmaceutical industries where liquid-entrained gas removal is needed.

3. Entrapment (Capture) Pumps

Entrapment pumps remove gas molecules by condensing, adsorbing, or chemically reacting them on cold surfaces or getter materials. They excel in the ultrahigh vacuum (UHV) regime.

- Cryogenic Pumps • Operation: Surfaces cooled by liquid helium or nitrogen condense and trap condensable gases (e.g., water vapor). • Vacuum Range: ~10^{-9} Torr and below. • Uses: Space simulation chambers, UHV research, thin-film deposition.
- Sputter Ion (Cold-Cathode) Pumps • Operation: Noble gas ions sputter metal surfaces, and reactive gases form stable compounds, trapping both. • Vacuum Range: 10^{-9} to 10^{-12} Torr. • Uses: Particle accelerators, molecular-beam epitaxy, UHV surface science.
- Vapor-Phase (Getter) Pumps • Operation: A reactive metal is evaporated, and the vapor chemically binds residual gases on chamber walls. • Advantage: No moving parts, silent, permanent installation. • Uses: Vacuum tubes, photomultiplier tubes, sealed scientific instruments.

Comparative Overview

Pump Category	Principle	Ultimate Vacuum	Pumping Speed	Typical Applications
Rotary Vane	Positive displacement	~10^{-3} Torr	0.5–1 000 L/s	Labs, freeze dryers, HVAC
Diaphragm	Positive displacement (dry)	~10^{-3} Torr	0.1–100 L/s	Corrosive gases, clean processes
Scroll	Positive displacement (dry)	~10^{-3} Torr	1–100 L/s	Spectroscopy, leak detection
Turbomolecular	Kinetic momentum transfer	10^{-7}–10^{-10} Torr	50–1 000 L/s	Semiconductors, EM, surface analysis
Diffusion	Kinetic vapor jet	10^{-7}–10^{-9} Torr	10–500 L/s	PVD, vacuum furnaces, mass spectrometers
Cryogenic	Condensation on cold surfaces	≤10^{-9} Torr	100–1 000 L/s	UHV research, space simulation
Ion/Sputter	Ionization and gettering	10^{-9}–10^{-12} Torr	—	UHV chambers, accelerators, MBE tools

Key Industrial and Research Applications

- Semiconductor fabrication (PVD, CVD, lithography) requires high to ultrahigh vacuum supplied by combinations of rotary, turbomolecular, and cryogenic or ion pumps.
- Electron and ion microscopy rely on UHV—often maintained by turbomolecular and sputter ion pumps—to prevent electron scattering and sample contamination.
- Vacuum coating, such as optical coatings and metal plating, uses diffusion and cryogenic pumps for deep vacuum and low contamination.
- Pharmaceutical freeze-dryers and vacuum dryers employ rotary vane or diaphragm pumps for controlled dehydration of sensitive compounds.
- Automotive and aerospace systems use vacuum pumps for brake servos, instrument gyros, and environmental simulation chambers.
- Oil refining and petrochemical plants utilize large liquid ring and screw vacuum pumps for distillation and degassing processes.

Selection Criteria

When choosing a vacuum pump or system, consider:

1. Required ultimate pressure and pumping speed for your process.
2. Gas composition and potential for corrosion or condensation (oil-free vs. lubricated).
3. Operating environment (temperature, orientation, footprint).
4. Maintenance frequency, consumables (oil, filters), and energy consumption.
5. Initial capital cost versus long-term operating costs, including service intervals and downtime.

Maintenance Best Practices

- Follow manufacturer schedules for oil changes in lubricated pumps; use proper vacuum-grade oils.
- Routinely inspect and replace seals, diaphragms, and filters to prevent air ingress.
- Bake out UHV chambers and components to minimize outgassing before operation.
- Monitor vibration and temperature for early detection of mechanical wear in rotor-based pumps.
- Use clean, dry backing lines and proper trap configurations to protect downstream high-vacuum stages.

Conclusion

Understanding the operating principles, performance parameters, and application niches of positive displacement, kinetic, and entrapment vacuum pumps enables precise system design for any industry or research requirement. By selecting pumps tailored to your pressure range, gas chemistry, and throughput demands—and by adhering to rigorous maintenance regimes—you can achieve reliable, efficient vacuum performance across the full spectrum of low to ultrahigh vacuum applications.

QTE Technologies offers a wide range of vacuum pumps from trusted brands at competitive prices. We, a global MRO provider, serve customers in over 180 countries. Established in 2010, we offer over 1 million products across all industries and engineering disciplines. Additionally, you can reach us anytime via 24×7 chat support, phone, WhatsApp or email. Discover what our valued customers have to say about our services on our dedicated review page.

Post Author By QTE Technologies Editorial Staff (with a solid background in both technical and creative writing - accumulated 15+ years of experience).

FEATURED NEWS

How Industry 4.0 is Making a Positive Change to Industrial Manufacturing?

07/25/25

How Electronic Procurement Helps Businesses Gain a Competitive Advantage

04/21/25

Looking for investors

04/18/23

WAREHOUSE OPERATION AND MANAGEMENT WITH ROBOT & AI CREATIVE INTELLIGENCE

01/02/21

Sign up for the newsletter - the opportunity to receive promotions

Enter the email to receive news...

Sign up for the newsletter »

QTE TECHNOLOGIES CO.,LTD

Head Office

Address: 11th Floor, Zen Tower, No.12 Khuat Duy Tien St, Thanh Xuan Ward, Hanoi, Vietnam

Phone: +84 935 486 698

Hotline: +84 935 486 698

Email: info@qtetech.com.vn

Website: https://qtetech.com/

Transaction office in Ho Chi Minh City

Address: 18th Floor - Indochina Park Tower - 04 Nguyen Dinh Chieu St, Tan Dinh Ward, Ho Chi Minh City, VietNam

Phone: +84 935 486 698

Hotline: +84 935 486 698

Email: info@qtetech.com.vn

Website: https://qtetech.com/

Transaction office in Da Nang

Address: 9th Floor - Lighthouse Building - No.1254 Xo Viet Nghe Tinh - Hoa Cuong Ward - Da Nang City - Vietnam

Phone: +84 935 486 698

Hotline: +84 935 486 698

Email: info@qtetech.com.vn

Website: https://qtetech.com/

CONNECT WITH US

LINK

- About
- Catalog
- Ordering guide
- Payment guide
- Privacy Policy
- Return Policy
- Shipping Policy
- Warranty Policy
- Complaint settlement policy
- Policy with the manufacturer
- Recruitment
- Contact us
- Tax / Duty (Duties)
- Compliance/ Export Control
- Help Center/ Terms and Conditions
- FAQ